INDEX TO AUTHORS

A

Abrams, Adolph, and **Cohen, Philip P.** Electrophoretic and chemical characterization of human lymphoid tissue and calf thymus, 439

Albert, S., Heard, R. D. H., Leblond, C. P., and **Saffran, Judith.** Distribution and metabolism of iodo-α-estradiol labeled with radioactive iodine, 247

Altman, Kurt I. The *in vitro* incorporation of the methylene carbon atom of glycine into rabbit bone marrow fats, 985

—, **Salomon, K.,** and **Noonan, T. R.** Hemin synthesis in rabbit bone marrow homogenates, 489

Anchel, Marjorie. Identification of the antibiotic substance from *Cassia reticulata* as 4,5-dihydroxyanthraquinone-2-carboxylic acid, 169

Anfinsen, Christian B. See *Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper,* 727

—. See *Hastings, Solomon, Anfinsen, Gould, and Rosenberg,* 717

Armstrong, W. D. See *Schubert and Armstrong,* 521

Arvidson, H. See *Bergström, Arvidson, Hammarsten, Eliasson, Reichard, and v. Ubisch,* 495

Axelrod, Dorothy J. See *Scott, Axelrod, and Hamilton,* 325

B

Ball, Eric G., Solomon, A. K., and **Cooper, Octavia.** The production of radioactive cystine by direct bombardment in the pile, 81

Banerjee, Sachchidananda, and **Ghosh, Naresh Chandra.** Effect of nicotinamide on blood sugar and blood acetone bodies of diabetic and normal subjects, 789

Bardawill, Charles J. See *Gornall, Bardawill, and David,* 751

Barker, H. A. See *Karlsson and Barker,* 597

Baumann, C. A. See *Sauberlich and Baumann,* 545

—. See *Steele, Sauberlich, Reynolds, and Baumann,* 533

Bean, Ross S. See *Fraenkel-Conrat, Bean, and Lineweaver,* 385

—. See *Lineweaver, Fraenkel-Conrat, and Bean,* 205

Belt, Margaret. See *Franklin, Belt, Stokstad, and Jukes,* 621

Bendich, Aaron, Getler, Helen, and **Brown, George Bosworth.** A synthesis of isotopic cytosine and a study of its metabolism in the rat, 565

Bergeim, Olaf, and **Kirch, Ernst R.** Reduction of iron in the human stomach, 591

Bergström, Sune, Arvidson, H., Hammarsten, E., Eliasson, N. A., Reichard, P., and **v. Ubisch, H.** Orotic acid, a precursor of pyrimidines in the rat, 495

Birmingham, Marion K. See *Elliott and Birmingham,* 51

Blum, Amos E. See *Horn, Jones, and Blum,* 697

Borek, Ernest, and **Waelsch, Heinrich.** Glutamic acid antimetabolites: sulfoxides and sulfones derived from methionine homologues; β-hydroxyglutamic acid, 135

Borgstrom, Evelyn, and **Gallagher, T. F.** Partial synthesis of compounds related to adrenal cortical hormones. XI. Reactions of Ring C ketols in the preparation of an 11-keto bile acid, 951

Bradford, Marjory. See *Kuiken and Lyman,* 29

Briggs, H. M. See *Dinning, Gallup, and Briggs,* 157

Brown, Betty. See *Daniel, Peeler, Norris, and Scott,* 917

Brown, Douglas M. See *Smith, Brown, Fishman, and Wilhelmi*, 305
Brown, George Bosworth. See *Bendich, Getler, and Brown*, 565
Brunelli, Eleanor, and Wainio, W. W. A further purification of D-glucose dehydrogenase, 75
Bryan, Carl E., Skipper, Howard E., and **White, Locke, Jr.** Carbamates in the chemotherapy of leucemia. IV. The distribution of radioactivity in tissues of mice following injection of carbonyl-labeled urethane, 941
Burt, Richard L., and **Fallers, Harry R., Jr.** Amino nitrogen retention in plasma following trauma, 825
Burton, Robert B. See *Zaffaroni, Burton, and Keutmann*, 109
Byers, Sanford O., and **Friedman, Meyer.** Hypercholesteremia in the rat after intravenous administration of cholesterol, 841

C

Carlson, Arthur S., and **Hehre, Edward J.** Composition of the starch synthesized from glucose-1-phosphate by diphtheria bacilli, 281
—. See *Hehre*, 267
—. See *Hehre, Carlson, and Hamilton*, 289
Chargaff, Erwin, and **Saidel, Helen F.** On the nucleoproteins of avian tubercle bacilli, 417
—, **Vischer, Ernst, Doniger, Ruth, Green, Charlotte,** and **Misani, Fernanda.** The composition of the desoxypentose nucleic acids of thymus and spleen, 405
—. See *Vischer, Zamenhof, and Chargaff*, 429
Clark, Ariel M. See *Spicer, Hanna, and Clark*, 217
Cohen, Philip P. See *Abrams and Cohen*, 439
Cohen, Seymour S. Adaptive enzyme formation in the study of uronic acid utilization by the K-12 strain of *Escherichia coli*, 607
Cook, Hyla A., Griffin, A. Clark, and **Luck, J. Murray.** Tissue proteins and carcinogenesis. II. Electrophoretic studies on serum proteins during carcinogenesis due to azo dyes, 373
Cooper, E. J. See *Dabrowska, Cooper, and Laskowski*, 991
Cooper, Octavia. See *Ball, Solomon, and Cooper*, 81
Covo, G. A. See *Cross, Taggart, Covo, and Green*, 655
Cravens, W. W. See *Nichol, Robblee, Cravens, and Elvehjem*, 631
Cross, R. J., Taggart, John V., Covo, G. A., and **Green, D. E.** Studies on the cyclophorase system. VI. The coupling of oxidation and phosphorylation, 655
Crowley, Josephine F., Hamilton, Joseph G., and **Scott, Kenneth G.** The metabolism of carrier-free radioberyllium in the rat, 975

D

Dabrowska, W., Cooper, E. J., and **Laskowski, M.** A specific inhibitor for desoxyribonuclease, 991
Daniel, Louise J., Peeler, H. T., Norris, L. C., and **Scott, M. L.** Unidentified factors required by *Lactobacillus casei*. IV. Evidence for two growth factors in purified liver extracts, 917
—. See *Peeler, Daniel, Norris, and Heuser*, 905
David, Maxima M. See *Gornall, Bardawill, and David*, 751
Davidson, Charles S. See *Eckhardt and Davidson*, 687
Davis, Neil C. See *Sealock and Davis*, 987
Dempster, Everett. See *Rutman, Dempster, and Tarver*, 491
Deuel, Harry J., Jr. See *Nieft and Deuel*, 143
Dieterich, Shirley. See *Kuiken and Lyman*, 29
Dinning, James S., Gallup, Willis D., and **Briggs, H. M.** Excretion of

creatinine and creatine by beef steers, 157
Doniger, Ruth. See *Chargaff, Vischer, Doniger, Green, and Misani,* 405

E

Eckhardt, Richard D., and **Davidson, Charles S.** Urinary excretion of amino acids by a normal adult receiving diets of varied protein content, 687
Eigen, Edward. See *Winsten and Eigen,* 989
Eliasson, N. A. See *Bergström, Arvidson, Hammarsten, Eliasson, Reichard, and v. Ubisch,* 495
Elion, Gertrude B. See *Hitchings, Elion, Falco, and Russell,* 357
Elliott, K. A. C., and **Birmingham, Marion K.** The effect of pH on the respiration of brain tissue; the pH of tissue slices, 51
Elvehjem, C. A. See *Henderson, Schurr, and Elvehjem,* 815
—. See *Maddy and Elvehjem,* 577
—. See *Nichol, Robblee, Cravens, and Elvehjem,* 631
—. See *Register, Ruegamer, and Elvehjem,* 129
—. See *Sreenivasan, Harper, and Elvehjem,* 117
Evans, Herbert M. See *Li, Geschwind, and Evans,* 91

F

Fairley, James L., Jr., and **Loring, Hubert S.** Growth-promoting activities of guanine, guanosine, guanylic acid, and xanthine for a purine-deficient strain of *Neurospora,* 451
Falco, Elvira A. See *Hitchings, Elion, Falco, and Russell,* 357
Fallers, Harry R., Jr. See *Burt and Fallers,* 825
Feil, George H. See *Shreeve, Feil, Lorber, and Wood,* 679
Feinstein, Robert N., and **Volk, Murray E.** Phosphoprotein phosphatase in mammalian tissues, 339
Fieger, E. A. See *Williams and Fieger,* 739
Fishman, Jacob B. See *Smith, Brown, Fishman, and Wilhelmi,* 305
Flynn, Ruth M. See *Novelli, Flynn, and Lipmann,* 493
Folch, Jordi. Brain diphosphoinositide, a new phosphatide having inositol metadiphosphate as a constituent, 505
—. Complete fractionation of brain cephalin: isolation from it of phosphatidyl serine, phosphatidyl ethanolamine, and diphosphoinositide, 497
Fraenkel-Conrat, Heinz, Bean, Ross S., and **Lineweaver, Hans.** Essential groups for the interaction of ovomucoid (egg white trypsin inhibitor) and trypsin, and for tryptic activity, 385
— and **Mecham, Dale K.** The reaction of formaldehyde with proteins. VII. Demonstration of intermolecular cross-linking by means of osmotic pressure measurements, 477
—. See *Lineweaver, Fraenkel-Conrat, and Bean,* 205
Franklin, A. L., Belt, Margaret, Stokstad, E. L. R., and **Jukes, Thomas H.** Biological studies with 4-amino-10-methylpteroylglutamic acid, 621
Friedkin, Morris, and **Lehninger, Albert L.** Oxidation-coupled incorporation of inorganic radiophosphate into phospholipide and nucleic acid in a cell-free system, 775
Friedman, Meyer. See *Byers and Friedman,* 841

G

Gallagher, T. F. See *Borgstrom and Gallagher,* 951
Gallant, Dorothy Leaf. See *Toennies and Gallant,* 831
Gallup, Willis D. See *Dinning, Gallup, and Briggs,* 157
Geschwind, I. See *Li, Geschwind, and Evans,* 91
Getler, Helen. See *Bendich, Getler, and Brown,* 565

Ghosh, Naresh Chandra. See *Banerjee and Ghosh*, 789
Goldsmith, Grace A. See *Sarett and Goldsmith*, 461
Gordon, Edgar S. See *Maass, Larson, and Gordon*, 209
Gornall, Allan G., Bardawill, Charles J., and **David, Maxima M.** Determination of serum proteins by means of the biuret reaction, 751
Gould, R. Gordon, Hastings, A. Baird, Anfinsen, Christian B., Rosenberg, I. N., Solomon, A. K., and **Topper, Yale J.** Metabolism of isotopic pyruvate and acetate in rabbit liver slices *in vitro*, 727
—, **Sinex, F. Marott, Rosenberg, I. N., Solomon, A. K.,** and **Hastings, A. Baird.** Excretion of radioactive carbon dioxide by rats after administration of isotopic bicarbonate, acetate, and succinate, 295
—. See *Hastings, Solomon, Anfinsen, Gould, and Rosenberg*, 717
Graham, Claire E., Waitkoff, Helen K., and **Hier, Stanley W.** The amino acid content of some scleroproteins, 529
Green, Charlotte. See *Chargaff, Vischer, Doniger, Green, and Misani*, 405
Green, D. E. See *Cross, Taggart, Covo, and Green*, 655
Griffin, A. Clark. See *Cook, Griffin, and Luck*, 373

H

Hamilton, Doris M. See *Hehre*, 267
—. See *Hehre, Carlson, and Hamilton*, 289
Hamilton, Joseph G. See *Crowley, Hamilton, and Scott*, 975
—. See *Scott, Axelrod, and Hamilton*, 325
Hammarsten, E. See *Bergström, Arvidson, Hammarsten, Eliasson, Reichard, and v. Ubisch*, 495
Hanna, Charles H. See *Spicer, Hanna, and Clark*, 217
Harmon, Kent M., and **Niemann, Carl.** The competitive inhibition of the urease-catalyzed hydrolysis of urea by phosphate, 601
—. See *MacAllister, Harmon, and Niemann*, 767
Harper, A. E. See *Sreenivasan, Harper, and Elvehjem*, 117
Hastings, A. Baird, Solomon, A. K., Anfinsen, Christian B., Gould, R. Gordon, and **Rosenberg, I. N.** Incorporation of isotopic carbon dioxide in rabbit liver glycogen *in vitro*, 717
—. See *Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper*, 727
—. See *Gould, Sinex, Rosenberg, Solomon, and Hastings*, 295
Haugaard, Niels. See *Stadie and Haugaard*, 311
Heard, R. D. H. See *Albert, Heard, Leblond, and Saffran*, 247
Hehre, Edward J. Synthesis of a polysaccharide of the starch-glycogen class from sucrose by a cell-free, bacterial enzyme system (amylosucrase), 267
—, **Carlson, Arthur S.,** and **Hamilton, Doris M.** Crystalline amylose from cultures of a pathogenic yeast (*Torula histolytica*), 289
—. See *Carlson and Hehre*, 281
Henderson, L. M., Schurr, P. E., and **Elvehjem, C. A.** The influence of fasting and nitrogen deprivation on the concentration of free amino acids in rat plasma, 815
Heuser, G. F. See *Peeler, Daniel, Norris, and Heuser*, 905
Hier, Stanley W. See *Graham, Waitkoff, and Hier*, 529
Hift, Helen, and **Wallace, G. I.** A study on the synthesis of cystine by some lactic acid bacteria, 927
Hitchings, George H., Elion, Gertrude B., Falco, Elvira A., and **Russell, Peter B.** A new synthesis of cytosine and 5-methylcytosine, 357
Hoff-Jørgensen, E. See *Williams, Hoff-Jørgensen, and Snell*, 933
Hogeboom, George H. Cytochemical studies of mammalian tissues. II.

The distribution of diphosphopyridine nucleotide-cytochrome *c* reductase in rat liver fractions, 847

Horn, Millard J., Jones, D. Breese, and **Blum, Amos E.** Microbiological determination of leucine in proteins and foods, 697

Huinink, H. ten Bokkel. See *van de Kamer, Huinink, and Weyers,* 347

Hunter, F. Edmund, Jr. Anaerobic phosphorylation due to a coupled oxidation-reduction between α-ketoglutaric acid and oxalacetic acid, 361

Hutchens, John O., and **Kass, Beatrice M.** A colorimetric microanalytical method for acetate and fluoroacetate, 571

J

Jones, D. Breese. See *Horn, Jones, and Blum,* 697

Josselyn, Dorothy. See *Teeri and Josselyn,* 23

Jukes, Thomas H. See *Franklin, Belt, Stokstad, and Jukes,* 621

K

van de Kamer, J. H., Huinink, H. ten Bokkel, and **Weyers, H. A.** Rapid method for the determination of fat in feces, 347

Kaplan, Nathan O. See *Novelli, Kaplan, and Lipmann,* 97

Karlsson, J. L., and **Barker, H. A.** Biosynthesis of uric acid labeled with radioactive carbon, 597

Kass, Beatrice M. See *Hutchens and Kass,* 571

Kaufman, Seymour, Neurath, Hans, and **Schwert, George W.** The specific peptidase and esterase activities of chymotrypsin, 793

Keller, Elizabeth B., Rachele, Julian R., and **du Vigneaud, Vincent.** A study of transmethylation with methionine containing deuterium and C^{14} in the methyl group, 733

Keutmann, E. Henry. See *Zaffaroni, Burton, and Keutmann,* 109

Kibrick, Andre C. A reaction of tryptophan with methyl alcohol which depends upon the formation of formaldehyde, 683

Kirch, Ernst R. See *Bergeim and Kirch,* 591

Kirk, Paul L. See *Stern and Kirk,* 37, 43

Kitay, Estelle, McNutt, Walter S., and **Snell, Esmond E.** The non-specificity of thymidine as a growth factor for lactic acid bacteria, 993

Krakaur, Richard B. See *Taggart and Krakaur,* 641

Kuiken, K. A., and **Lyman, Carl M.** Essential amino acid composition of soy bean meals prepared from twenty strains of soy beans, 29

L

Larson, Frank C. See *Maass, Larson, and Gordon,* 209

Laskowski, M. See *Dabrowska, Cooper, and Laskowski,* 991

Laties, George G. Limitations of the use of potassium hydroxide-potassium cyanide mixtures in manometric studies, 969

Lazarow, Arnold. See *Patterson, Lazarow, and Levey,* 187, 197

Leblond, C. P. See *Albert, Heard, Leblond, and Saffran,* 247

Lehninger, Albert L. See *Friedkin and Lehninger,* 775

—. See *Sibley and Lehninger,* 859

Leland, Margaret L. See *Tennent and Leland,* 873

Lemm, F. J. See *Patterson, Lazarow, and Levey,* 187, 197

LePage, G. A. See *Potter and LePage,* 237

Levey, Stanley. See *Patterson, Lazarow, and Levey,* 187, 197

Li, Choh Hao, Geschwind, I., and **Evans, Herbert M.** The effect of growth and adrenocorticotropic hormones on the amino acid levels in the plasma, 91

Lichstein, Herman C. On the mode of action of biotin, 487

Lichstein, Herman C. The probable existence of a coenzyme form of biotin, 125

Lineweaver, Hans, Fraenkel-Conrat, Heinz, and **Bean, Ross S.** Determination of trypsin in the presence of egg white trypsin inhibitor and demonstration of absence of trypsin from egg white, 205

—. See *Fraenkel-Conrat, Bean, and Lineweaver,* 385

Lipmann, Fritz. See *Novelli, Flynn, and Lipmann,* 493

—. See *Novelli, Kaplan, and Lipmann,* 97

Livermore, Arthur H. See *Sealock and Livermore,* 553

Lorber, Victor. See *Shreeve, Feil, Lorber, and Wood,* 679

Loring, Hubert S. See *Fairley and Loring,* 451

Luck, J. Murray. See *Cook, Griffin, and Luck,* 373

—. See *Teresi and Luck,* 383

Lyman, Carl M. See *Kuiken and Lyman,* 29

M

Maass, Alfred R., Larson, Frank C., and **Gordon, Edgar S.** The distribution in normal tissues of radioactive sulfur fed as labeled methionine, 209

MacAllister, Robert V., Harmon, Kent M., and **Niemann, Carl.** The hydrolysis of N-benzoyl-DL-tyrosylglycinamide, N-acetyl-L-tyrosylglycinamide, and N-acetyl-DL-tyrosylglycinamide by chymotrypsin, 767

Maddy, Kenneth H., and **Elvehjem, C. A.** Studies on growth of mice fed rations containing free amino acids, 577

McNutt, Walter S. See *Kitay, McNutt, and Snell,* 993

McQue, Bernard. See *Stahl, McQue, and Siu,* 69

Mecham, Dale K. See *Fraenkel-Conrat and Mecham,* 477

Mehl, John W., Pacovska, Eva, and **Winzler, Richard J.** The amount of copper bound by protein in the biuret reaction, 13

Michaelis, Fred. See *Byers and Friedman,* 841

Misani, Fernanda. See *Chargaff, Vischer, Doniger, Green, and Misani,* 405

Mold, James D. See *Riegel, Stanger, Wikholm, Mold, and Sommer,* 1, 7

Moore, Walter J. See *Zachary and Moore,* 715

N

Neurath, Hans. See *Kaufman, Neurath, and Schwert,* 793

Nichol, C. A., Robblee, A. R., Cravens, W. W., and **Elvehjem, C. A.** The growth response of chicks to antipernicious anemia preparations, 631

Nieft, Marie L. Studies on cholesterol esterases. II. Characterization of the hydrolytic system from intestinal mucosa, 151

— and **Deuel, Harry J., Jr.** Studies on cholesterol esterases. I. Enzyme systems in rat tissues, 143

Niemann, Carl. See *Harmon and Niemann,* 601

—. See *MacAllister, Harmon, and Niemann,* 767

Noonan, T. R. See *Altman, Salomon, and Noonan,* 489

Norris, L. C. See *Daniel, Peeler, Norris, and Scott,* 917

—. See *Peeler, Daniel, Norris, and Heuser,* 905

Novelli, G. David, Flynn, Ruth M., and **Lipmann, Fritz.** Coenzyme A as growth stimulant for *Acetobacter suboxydans,* 493

—, **Kaplan, Nathan O.,** and **Lipmann, Fritz.** The liberation of pantothenic acid from coenzyme A, 97

O

Ottolenghi, Lina. See *Steele, Sfortunato, and Ottolenghi,* 231

P

Pacovska, Eva. See *Mehl, Pacovska, and Winzler,* 13

Patterson, John W., Lazarow, Arnold, and **Levey, Stanley.** Alloxan and dialuric acid: their stabilities and ultraviolet absorption spectra, 187
—, —, and —. Reactions of alloxan and dialuric acid with the sulfhydryl group, 197
Peeler, H. T., Daniel, Louise J., Norris, L. C., and **Heuser, G. F.** Unidentified factors required by *Lactobacillus casei*. III. The nature of strepogenin activity, 905
—. See *Daniel, Peeler, Norris, and Scott*, 917
Perlzweig, William A. See *Rosen and Perlzweig*, 163
Potter, Van R., and **LePage, G. A.** Metabolism of oxalacetate in glycolyzing tumor homogenates, 237
—. See *Schneider and Potter*, 893

R

Rachele, Julian R. See *Keller, Rachele, and du Vigneaud*, 733
Racker, E. Aldehyde dehydrogenase, a diphosphopyridine nucleotide-linked enzyme, 883
Register, U. D., Ruegamer, W. R., and **Elvehjem, C. A.** An improved assay for a growth factor in liver extracts, 129
Reichard, P. See *Bergström, Arvidson, Hammarsten, Eliasson, Reichard, and v. Ubisch*, 495
Reynolds, M. S. See *Steele, Sauberlich, Reynolds, and Baumann*, 533
Riegel, Byron, Stanger, D. Warren, Wikholm, Donald M., Mold, James D., and **Sommer, Hermann.** Paralytic shellfish poison. IV. Bases accompanying the poison, 1
—, —, —, —, and —. V. The primary source of the poison, the marine plankton organism, *Gonyaulax catenella*, 7
Robblee, A. R. See *Nichol, Robblee, Cravens, and Elvehjem*, 631
Rosen, Fred, and **Perlzweig, William A.** The effect of gelatin on the transformation of tryptophan to niacin in rats on low casein diets, 163
Rosenberg, I. N. See *Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper*, 727
—. See *Gould, Sinex, Rosenberg, Solomon, and Hastings*, 295
—. See *Hastings, Solomon, Anfinsen, Gould, and Rosenberg*, 717
Ruegamer, W. R. See *Register, Ruegamer, and Elvehjem*, 129
Russell, Peter B. See *Hitchings, Elion, Falco, and Russell*, 357
Rutman, Robert, Dempster, Everett, and **Tarver, Harold.** Genetic differences in methionine uptake by surviving tissue, 491

S

Saffran, Judith. See *Albert, Heard, Leblond, and Saffran*, 247
Saidel, Helen F. See *Chargaff and Saidel*, 417
Salomon, K. See *Altman, Salomon, and Noonan*, 489
Sarett, Herbert P., and **Goldsmith, Grace A.** Tryptophan and nicotinic acid studies in man, 461
Sauberlich, H. E., and **Baumann, C. A.** A microbiological determination of alanine, 545
—. See *Steele, Sauberlich, Reynolds, and Baumann*, 533
Schenker, Florence. See *Daniel, Peeler, Norris, and Scott*, 917
Schneider, Walter C., and **Potter, Van R.** Intracellular distribution of enzymes. IV. The distribution of oxalacetic oxidase activity in rat liver and rat kidney fractions, 893
Schubert, Jack, and **Armstrong, W. D.** Rate of elimination of radioactive carbon administered as carbonate from the tissues and tissue components of mature and growing rats, 521
Schurr, P. E. See *Henderson, Schurr, and Elvehjem*, 815
Schwert, George W. See *Kaufman, Neurath, and Schwert*, 793

Scott, Kenneth G., Axelrod, Dorothy J., and **Hamilton, Joseph G.** The metabolism of curium in the rat, 325
—. See *Crowley, Hamilton, and Scott,* 975
Scott, M. L. See *Daniel, Peeler, Norris, and Scott,* 917
Sealock, Robert Ridgely, and **Davis, Neil C.** The activating effect of *m*-nitroaniline on thiamine destruction by the Chastek paralysis enzyme, 987
— and **Livermore, Arthur H.** The action of aminobenzylthiazolium salts on thiamine destruction by the Chastek paralysis enzyme, 553
Sfortunato, Theodore. See *Steele, Sfortunato, and Ottolenghi,* 231
Shreeve, Walton W., Feil, George H., Lorber, Victor, and **Wood, Harland G.** The distribution of fixed radioactive carbon in glucose from rat liver glycogen, 679
Sibley, John A., and **Lehninger, Albert L.** Determination of aldolase in animal tissues, 859
Sinex, F. Marott. See *Gould, Sinex, Rosenberg, Solomon, and Hastings,* 295
Siu, R. G. H. See *Stahl, McQue, and Siu,* 69
Skipper, Howard E. See *Bryan, Skipper, and White,* 941
Smith, Emil L., Brown, Douglas M., Fishman, Jacob B., and **Wilhelmi, Alfred E.** Sedimentation, diffusion, and molecular weight of crystalline pituitary growth hormone, 305
Snell, Esmond E. See *Kitay, McNutt, and Snell,* 993
—. See *Williams, Hoff-Jørgensen, and Snell,* 933
Solomon, A. K. See *Ball, Solomon, and Cooper,* 81
—. See *Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper,* 727
—. See *Gould, Sinex, Rosenberg, Solomon, and Hastings,* 295
—. See *Hastings, Solomon, Anfinsen, Gould, and Rosenberg,* 717
Sommer, Hermann. See *Riegel, Stanger, Wikholm, Mold, and Sommer,* 1, 7
Spicer, Samuel S., Hanna, Charles H., and **Clark, Ariel M.** Studies *in vitro* on methemoglobin reduction in dog erythrocytes, 217
Sreenivasan, A., Harper, A. E., and **Elvehjem, C. A.** The use of conjugase preparations in the microbiological assay of folic acid, 117
Stadie, William C., and **Haugaard, Niels.** The hexokinase reaction in tissue extracts from normal and diabetic rats, 311
Stahl, William H., McQue, Bernard, and **Siu, R. G. H.** Decomposition of cystine and wool by treatment in the ball mill and autoclave, 69
Stanger, D. Warren. See *Riegel, Stanger, Wikholm, Mold, and Sommer,* 1, 7
Steele, Betty F., Sauberlich, H. E., Reynolds, M. S., and **Baumann, C. A.** Media for *Leuconostoc mesenteroides* P-60 and *Leuconostoc citrovorum* 8081, 533
Steele, Robert, Sfortunato, Theodore, and **Ottolenghi, Lina.** A micromethod for the determination of the nucleic acids, 231
Stern, Herbert, and **Kirk, Paul L.** Microgram analysis: further studies of determination of glucose and its application to the determination of sucrose, 37
— and —. Microgram analysis: a solid-liquid extractor and its application to extraction of sugars from plant materials, 43
Stiff, Henry A., Jr. A new colorimetric method for the determination of serum protein, 179
Stokstad, E. L. R. See *Franklin, Belt, Stokstad, and Jukes,* 621

T

Taggart, John V., and **Krakaur, Richard B.** Studies on the cyclophorase system. V. The oxidation of proline and hydroxyproline, 641
—. See *Cross, Taggart, Covo, and Green,* 655
Tarver, Harold. See *Rutman, Dempster, and Tarver,* 491

Tauber, Henry. A new color test for tryptophan and related compounds, 337

Teeri, Arthur E., and **Josselyn, Dorothy.** The effect of certain sulfonamides upon *Lactobacillus arabinosus* in a nicotinic acid-restricted medium, 23

Tennent, David M., and **Leland, Margaret L.** A procedure for the determination of 4-aminosalicylic acid (*p*-aminosalicylic acid) in blood and in urine, 873

Teresi, J. D., and **Luck, J. Murray.** The combination of organic anions with serum albumin. VI. Quantitative studies by equilibrium dialysis. A correction, 383

Toennies, Gerrit, and **Gallant, Dorothy Leaf.** Bacterimetric studies. II. The rôle of lysine in bacterial maintenance, 831

Topper, Yale J. Note on the synthesis of succinic acid labeled in the carboxyl position with radioactive carbon, 303

—. See *Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper,* 727

Trant, Mary. See *Kuiken and Lyman,* 29

U

v. **Ubisch, H.** See *Bergström, Arvidson, Hammarsten, Eliasson, Reichard, and v. Ubisch,* 495

Umbreit, W. W. A site of action of streptomycin, 703

V

du Vigneaud, Vincent. See *Keller, Rachele, and du Vigneaud,* 733

Vischer, Ernst, Zamenhof, Stephen, and **Chargaff, Erwin.** Microbial nucleic acids: the desoxypentose nucleic acids of avian tubercle bacilli and yeast, 429

—. See *Chargaff, Vischer, Doniger, Green, and Misani,* 405

Volk, Murray E. See *Feinstein and Volk,* 339

W

Waelsch, Heinrich. See *Borek and Waelsch,* 135

Wainio, W. W. See *Brunelli and Wainio,* 75

Waitkoff, Helen K. See *Graham, Waitkoff, and Hier,* 529

Wallace, G. I. See *Hift and Wallace,* 927

Weyers, H. A. See *van de Kamer, Huinink, and Weyers,* 347

White, Locke, Jr. See *Bryan, Skipper, and White,* 941

Wikholm, Donald M. See *Riegel, Stanger, Wikholm, Mold, and Sommer,* 1, 7

Wilhelmi, Alfred E. See *Smith, Brown, Fishman, and Wilhelmi,* 305

Williams, Edward F., Jr. See *Wood and Williams,* 59

Williams, H. B. See *Williams and Williams,* 745

Williams, Virginia R., and **Fieger, E. A.** Further studies on lipide stimulation of *Lactobacillus casei.* II, 739

— and **Williams, H. B.** Surface activity of biotin, 745

Williams, William L., Hoff-Jørgensen, E., and **Snell, Esmond E.** Determination and properties of an unidentified growth factor required by *Lactobacillus bulgaricus,* 933

Winsten, Walter, A., and **Eigen, Edward.** Vitamin B_{12} and related factors in the nutrition of *Lactobacillus leichmannii* 313, 989

Winzler, Richard J. See *Mehl, Pacovska, and Winzler,* 13

Wood, Harland G. See *Shreeve, Feil, Lorber, and Wood,* 679

Wood, John L., and **Williams, Edward F., Jr.** The metabolism of thiocyanate in the rat and its inhibition by propylthiouracil, 59

Z

Zachary, John B., and **Moore, Walter J.** Solubility of glycine, leucine, and tyrosine in liquid ammonia, 715

Zaffaroni, Alejandro, Burton, Robert B., and **Keutmann, E. Henry.** The application of paper partition chromatography to steroid analysis. I. Ketosteroids, 109

Zamenhof, Stephen. See *Vischer, Zamenhof, and Chargaff,* 429

INDEX TO SUBJECTS

A

Acetate: Determination, microcolorimetric, *Hutchens and Kass*, 571
Fluoro-, determination, microcolorimetric, *Hutchens and Kass*, 571
Isotopic, liver, metabolism *in vitro*, *Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper*, 727
—, radioactive carbon dioxide excretion, effect, *Gould, Sinex, Rosenberg, Solomon, and Hastings*, 295
Oxal-. *See* Oxalacetate

Acetic acid: Oxal-. *See* Oxalacetic acid

Acetobacter suboxydans: Growth, coenzyme A effect, *Novelli, Flynn, and Lipmann*, 493

Acetone bodies: Blood, diabetes, nicotinamide effect, *Banerjee and Ghosh*, 789

Acetyl-DL-tyrosylglycinamide: N-, hydrolysis, chymotrypsin use, *MacAllister, Harmon, and Niemann*, 767

Acetyl-L-tyrosylglycinamide: N-, hydrolysis, chymotrypsin use, *MacAllister, Harmon, and Niemann*, 767

Adrenal(s): Cortex hormone, related compounds, synthesis, *Borgstrom and Gallagher*, 951

Adrenocorticotropic hormone: Blood plasma amino acid, effect, *Li, Geschwind, and Evans*, 91

Alanine: Determination, microbiological, *Sauberlich and Baumann*, 545

Albumin: Blood serum, organic anions, combination, *Teresi and Luck*, 383
— —, — —, combination, equilibrium dialysis, *Teresi and Luck*, 383

Alcohol: Methyl. *See* Methyl alcohol

Aldehyde: Dehydrogenase, diphosphopyridine nucleotide-linked enzyme, relation, *Racker*, 883

Aldolase: Tissue, determination, *Sibley and Lehninger*, 859

Alloxan: Absorption spectrum, *Patterson, Lazarow, and Levey*, 187

Alloxan—*continued:*
Sulfhydryl group and, reaction, *Patterson, Lazarow, and Levey*, 197

Amino acid(s): Blood plasma, adrenocorticotropic hormone effect, *Li, Geschwind, and Evans*, 91
— —, fasting and nitrogen deprivation effect, *Henderson, Schurr, and Elvehjem*, 815
— —, growth hormone effect, *Li, Geschwind, and Evans*, 91
Free, growth effect, *Maddy and Elvehjem*, 577
Scleroproteins, *Graham, Waitkoff, and Hier*, 529
Soy bean meals, *Kuiken and Lyman*, 29
Urine, protein effect, *Eckhardt and Davidson*, 687

Aminobenzylthiazolium salt(s): Thiamine destruction, Chastek paralysis enzyme, action, *Sealock and Livermore*, 553

Amino-10-methylpteroylglutamic acid: 4-, as antimetabolite, *Franklin, Belt, Stokstad, and Jukes*, 621

Amino nitrogen: Blood plasma, trauma, effect, *Burt and Fallers*, 825

Aminosalicylic acid: *p*-. *See* Aminosalicylic acid, 4-
4-, blood, determination, *Tennent and Leland*, 873
—, urine, determination, *Tennent and Leland*, 873

Amylose: Crystalline, *Torula histolytica, Hehre, Carlson, and Hamilton*, 289

Amylosucrase: Polysaccharide synthesis from sucrose, use, *Hehre*, 267

Anemia: Antipernicious, preparations, chick growth, effect, *Nichol, Robblee, Cravens, and Elvehjem*, 631

Aniline: *m*-Nitro-, thiamine destruction, Chastek paralysis enzyme, effect, *Sealock and Davis*, 987

Antibiotic substance: *Cassia reticulata*, identification, *Anchel*, 169
Apparatus: Solid-liquid extractor, sugar extraction, plants, use, *Stern and Kirk*, 43
Azo dye(s): Carcinogenesis from, blood serum proteins, electrophoresis, *Cook, Griffin, and Luck*, 373

B

Bacillus: Diphtheria, starch synthesized from glucose-1-phosphate, use, *Carlson and Hehre*, 281
Tubercle. *See* Tubercle bacillus
See also Lactobacillus
Bacteria: Lactic acid, cystine synthesis, use, *Hift and Wallace*, 927
— —, growth, thymidine effect, *Kitay, McNutt, and Snell*, 993
Maintenance, lysine rôle, *Toennies and Gallant*, 831
See also Acetobacter, Escherichia, Leuconostoc
Bacterimetric studies: *Toennies and Gallant*, 831
Bean: Soy, meal, amino acids, *Kuiken and Lyman*, 29
Benzoyl-DL-tyrosylglycinamide: N-, hydrolysis, chymotrypsin use, *MacAllister, Harmon, and Niemann*, 767
Beryllium: Radioactive, carrier-free, metabolism, *Crowley, Hamilton, and Scott*, 975
Bicarbonate: Isotopic, radioactive carbon dioxide excretion, effect, *Gould, Sinex, Rosenberg, Solomon, and Hastings*, 295
Bile acid(s): 11-Keto, preparation, Ring C ketols, reactions, *Borgstrom and Gallagher*, 951
Biotin: Action, mechanism, *Lichstein*, 487
Coenzyme form, *Lichstein*, 125
Surface activity, *Williams and Williams*, 745
Biuret reaction: Blood serum protein determination, use, *Gornall, Bardawill, and David*, 751
Protein-bound copper, *Mehl, Pacovska, and Winzler*, 13
Blood: Acetone bodies, diabetes, nicotinamide effect, *Banerjee and Ghosh*, 789
4-Aminosalicylic acid, determination, *Tennent and Leland*, 873
Cholesterol. *See also* Hypercholesteremia
Blood cell(s): Red, methemoglobin reduction *in vitro, Spicer, Hanna, and Clark*, 217
White. *See also* Leucemia
Blood plasma: Amino acids, adrenocorticotropic hormone, effect, *Li, Geschwind, and Evans*, 91
— —, fasting and nitrogen deprivation effect, *Henderson, Schurr, and Elvehjem*, 815
— —, growth hormone, effect, *Li, Geschwind, and Evans*, 91
— nitrogen, trauma, effect, *Burt and Fallers*, 825
Blood serum: Albumin, organic anions, combination, *Teresi and Luck*, 383
—, — —, —, equilibrium dialysis, *Teresi and Luck*, 383
Proteins, determination, biuret reaction, *Gornall, Bardawill, and David*, 751
—, —, colorimetric, *Stiff*, 179
—, electrophoresis, carcinogenesis, azo dye-produced, *Cook, Griffin, and Luck*, 373
Blood sugar: Diabetes, nicotinamide effect, *Banerjee and Ghosh*, 789
Bone marrow: Fats, glycine methylene carbon atom, incorporation *in vitro, Altman*, 985
Hemin synthesis, *Altman, Salomon, and Noonan*, 489
Brain: Cephalin, phosphatidyl serine, phosphatidyl ethanolamine, and diphosphoinositide isolation, *Folch*, 497
Diphosphoinositide, *Folch*, 505
Respiration, hydrogen ion concentration effect, *Elliott and Birmingham*, 51

C

Carbamate(s): Leucemia, effect, *Bryan, Skipper, and White*, 941

Carbon: Radioactive, fixed, glucose from liver glycogen, distribution, *Shreeve, Feil, Lorber, and Wood,* 679
—, tissue, elimination, *Schubert and Armstrong,* 521
—, uric acid biosynthesis, *Karlsson and Barker,* 597
Carbonate: Radioactive carbon-containing, radioactive carbon elimination, effect, *Schubert and Armstrong,* 521
Carbon dioxide: Isotopic, liver glycogen, *in vitro*, incorporation, *Hastings, Solomon, Anfinsen, Gould, and Rosenberg,* 717
Radioactive, excretion, isotopic bicarbonate, acetate, and succinate administration, effect, *Gould, Sinex, Rosenberg, Solomon, and Hastings,* 295
Carboxylic acid(s): 4,5-Dihydroxyanthraquinone-2-, *Cassia reticulata* antibiotic substance, *Anchel,* 169
Carcinogenesis: Azo dye-produced, blood serum proteins, electrophoresis, *Cook, Griffin, and Luck,* 373
Tissue protein, *Cook, Griffin, and Luck,* 373
Casein: -Low diet, tryptophan-niacin transformation, gelatin effect, *Rosen and Perlzweig,* 163
Cassia reticulata: 4,5-Dihydroxyanthraquinone-2-carboxylic acid as antibiotic substance, *Anchel,* 169
Cephalin: Brain, phosphatidyl serine, phosphatidyl ethanolamine, and diphosphoinositide isolation, *Folch,* 497
Chastek: Paralysis enzyme, thiamine destruction, aminobenzylthiazolium salts, action, *Sealock and Livermore,* 553
— —, — —, *m*-nitroaniline effect, *Sealock and Davis,* 987
Chick: Growth, antipernicious anemia preparations, effect, *Nichol, Robblee, Cravens, and Elvehjem,* 631
Cholesterol: Blood. *See also* Hypercholesteremia
Enzyme systems, tissues, rat, *Nieft and Deuel,* 143
Cholesterol—*continued:*
Esterase, *Nieft and Deuel,* 143
Nieft, 151
Hypercholesteremia, administration effect, *Byers and Friedman,* 841
Chymotrypsin: N-Benzoyl-DL-, N-acetyl-L-, and N-acetyl-DL-tyrosylglycinamide hydrolysis, use, *MacAllister, Harmon, and Niemann,* 767
Esterase activity, *Kaufman, Neurath, and Schwert,* 793
Peptidase activity, *Kaufman, Neurath, and Schwert,* 793
Coenzyme: A, *Acetobacter suboxydans* growth, effect, *Novelli, Flynn, and Lipmann,* 493
—, pantothenic acid liberation, *Novelli, Kaplan, and Lipmann,* 97
Biotin, *Lichstein,* 125
Conjugase: Folic acid determination, microbiological, use, *Sreenivasan, Harper, and Elvehjem,* 117
Copper: Protein-bound, biuret reaction, *Mehl, Pacovska, and Winzler,* 13
Creatine: Excretion, steers, *Dinning, Gallup, and Briggs,* 157
Creatinine: Excretion, steers, *Dinning, Gallup, and Briggs,* 157
Curium: Metabolism, *Scott, Axelrod, and Hamilton,* 325
Cyclophorase: System, *Taggart and Krakaur,* 641
Cross, Taggart, Covo, and Green, 655
—, oxidation and phosphorylation, *Cross, Taggart, Covo, and Green,* 655
—, proline and hydroxyproline oxidation, rôle, *Taggart and Krakaur,* 641
Cystine: Decomposition, ball mill and autoclave, effect, *Stahl, McQue, and Siu,* 69
Radioactive, production, *Ball, Solomon, and Cooper,* 81
Synthesis, lactic acid bacteria, use, *Hift and Wallace,* 927
Cytochemistry: Tissue, *Hogeboom,* 847
Cytochrome: *c*-Diphosphopyridine nucleotide reductase, liver, *Hogeboom,* 847

Cytosine: Isotopic, synthesis and metabolism, *Bendich, Getler, and Brown,* 565
5-Methyl-, synthesis, *Hitchings, Elion, Falco, and Russell,* 357
Synthesis, *Hitchings, Elion, Falco, and Russell,* 357

D

Dehydrogenase: Aldehyde, diphosphopyridine nucleotide-linked enzyme, relation, *Racker,* 883
D-Glucose, purification, *Brunelli and Wainio,* 75
Desoxypentose nucleic acid(s): Spleen, *Chargaff, Vischer, Doniger, Green, and Misani,* 405
Thymus, *Chargaff, Vischer, Doniger, Green, and Misani,* 405
Tubercle bacilli, *Vischer, Zamenhof, and Chargaff,* 429
Yeast, *Vischer, Zamenhof, and Chargaff,* 429
Desoyribonuclease: Inhibitor, *Dabrowska, Cooper, and Laskowski,* 991
Diabetes: Blood sugar and blood acetone bodies, nicotinamide effect, *Banerjee and Ghosh,* 789
Hexokinase reaction, *Stadie and Haugaard,* 311
Dialuric acid: Absorption spectrum, *Patterson, Lazarow, and Levey,* 187
Sulfhydryl group and, reaction, *Patterson, Lazarow, and Levey,* 197
Dihydroxyanthraquinone - 2 - carboxylic acid: 4,5-, *Cassia reticulata* antibiotic substance, *Anchel,* 169
Diphosphoinositide: Brain, *Folch,* 505
— cephalin, isolation, *Folch,* 497
Diphosphopyridine nucleotide: -Cytochrome *c* reductase, liver, *Hogeboom,* 847
-Linked enzyme, aldehyde dehydrogenase relation, *Racker,* 883
Diphtheria: Bacilli, starch synthesized from glucose-1-phosphate, use, *Carlson and Hehre,* 281

E

Egg: White, trypsin, *Lineweaver, Fraenkel-Conrat, and Bean,* 205
Egg—*continued:*
White, trypsin inhibitor, trypsin determination, *Lineweaver, Fraenkel-Conrat, and Bean,* 205
—, — —. *See also* Ovomucoid
Enzyme(s): Adaptive, formation, *Escherichia coli* utilization of uronic acid, *Cohen,* 607
Co-. *See* Coenzyme
Diphosphopyridine nucleotide-linked, aldehyde dehydrogenase relation, *Racker,* 883
Intracellular, distribution, *Schneider and Potter,* 893
Paralysis, Chastek, thiamine destruction, aminobenzylthiazolium salts, effect, *Sealock and Livermore,* 553
—, —, — —, *m*-nitroaniline effect, *Sealock and Davis,* 987
Systems, cholesterol, tissue, rat, *Nieft and Deuel,* 143
See also Aldolase, Amylosucrase, Conjugase, Chymotrypsin, Cyclophorase, Dehydrogenase, Desoxyribonuclease, Esterase, Hexokinase, Oxidase, Peptidase, Phosphatase, Reductase, Trypsin
Erythrocyte: *See* Blood cell, red
Escherichia coli: Uronic acid utilization, adaptive enzyme formation, *Cohen,* 607
Esterase: Cholesterol, *Nieft and Deuel,* 143
Nieft, 151
Chymotrypsin, *Kaufman, Neurath, and Schwert,* 793
Estradiol: Iodo-α-, distribution and metabolism, radioactive iodine in study, *Albert, Heard, Leblond, and Saffran,* 247
Ethanolamine: Phosphatidyl, brain cephalin, isolation, *Folch,* 497
Extractor: Solid-liquid, sugar extraction, plants, use, *Stern and Kirk,* 43

F

Fasting: Blood plasma amino acids, free, effect, *Henderson, Schurr, and Elvehjem,* 815

Fat(s): Bone marrow, glycine methylene carbon atom, incorporation *in vitro*, *Altman*, 985
Feces, determination, *van de Kamer, Huinink, and Weyers*, 347
Feces: Fat, determination, *van de Kamer, Huinink, and Weyers*, 347
Fish: Shell-, poison, paralytic, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 1, 7
—, —, —, bases, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 1
Fluoroacetate: Determination, microcolorimetric, *Hutchens and Kass*, 571
Folic acid: Determination, microbiological, conjugase use, *Sreenivasan, Harper, and Elvehjem*, 117
Food(s): Leucine determination, microbiological, *Horn, Jones, and Blum*, 697
Formaldehyde: -Protein reaction, *Fraenkel-Conrat and Mecham*, 477
— —, osmotic pressure relationship, *Fraenkel-Conrat and Mecham*, 477
Tryptophan-methyl alcohol reaction, formation in, *Kibrick*, 683

G

Gastric: *See also* Stomach
Gelatin: Tryptophan-niacin transformation, casein-low diet, effect, *Rosen and Perlzweig*, 163
Glucose: D-, dehydrogenase, purification, *Brunelli and Wainio*, 75
Determination, micro-, *Stern and Kirk*, 37
Liver glycogen, fixed radioactive carbon, distribution, *Shreeve, Feil, Lorber, and Wood*, 679
Glucose-1-phosphate: Starch synthesized by diphtheria bacilli from, *Carlson and Hehre*, 281
Glutamic acid: 4-Amino-10-methylpteroyl-, as antimetabolite, *Franklin, Belt, Stokstad, and Jukes*, 621
Antimetabolites, *Borek and Waelsch*, 135
β-Hydroxyglutamic acid as antimetabolite, *Borek and Waelsch*, 135
Glutamic acid—*continued:*
Methionine homologues, sulfides and sulfones as antimetabolites, *Borek and Waelsch*, 135
Glutaric acid: α-Keto-, oxalacetic acid and, oxidation-reduction, anaerobic phosphorylation, *Hunter*, 361
Glycine: Ammonia, liquid, solubility, *Zachary and Moore*, 715
Methylene carbon atom, bone marrow fats, incorporation *in vitro*, *Altman*, 985
Glycogen: Liver, glucose from, fixed radioactive carbon, distribution, *Shreeve, Feil, Lorber, and Wood*, 679
—, isotopic carbon dioxide, *in vitro*, incorporation, *Hastings, Solomon, Anfinsen, Gould, and Rosenberg*, 717
Glycolysis: Tumor homogenates, oxalacetate metabolism, *Potter and LePage*, 237
Gonyaulax catenella: Shellfish poison, paralytic, source, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 7
Growth: *Acetobacter suboxydans*, coenzyme A effect, *Novelli, Flynn, and Lipmann*, 493
Amino acids, free, effect, *Maddy and Elvehjem*, 577
Anemia, antipernicious, preparation, chick, effect, *Nichol, Robblee, Cravens, and Elvehjem*, 631
Carbon, radioactive, elimination, *Schubert and Armstrong*, 521
Factor, *Lactobacillus bulgaricus*, determination and properties, *Williams, Hoff-Jørgensen, and Snell*, 933
—, — *casei*, *Peeler, Daniel, Norris, and Heuser*, 905
Daniel, Peeler, Norris, and Scott, 917
—, — —, liver, *Daniel, Peeler, Norris, and Scott*, 917
—, liver, determination, *Register, Ruegamer, and Elvehjem*, 129
Hormone, blood plasma amino acid, effect, *Li, Geschwind, and Evans*, 91
—, pituitary, crystalline, properties, *Smith, Brown, Fishman, and Wilhelmi*, 305

Growth—*continued:*
Lactic acid bacteria, thymidine effect, *Kitay, McNutt, and Snell,* 993
Neurospora, purine-deficient, guanine, guanosine, guanilic acid, and xanthine, effect, *Fairley and Loring,* 451
Guanine: *Neurospora*, purine-deficient, growth, effect, *Fairley and Loring,* 451
Guanosine: *Neurospora*, purine-deficient, growth, effect, *Fairley and Loring,* 451
Guanylic acid: *Neurospora*, purine-deficient, growth, effect, *Fairley and Loring,* 451

H

Hemin: Synthesis, bone marrow homogenates, *Altman, Salomon, and Noonan,* 489
Hemoglobin: Met-. *See* Methemoglobin
Hexokinase: Diabetes, *Stadie and Haugaard,* 311
Hydrogen ion concentration: Tissue slices, *Elliott and Birmingham,* 51
Hydroxyglutamic acid: β-, glutamic acid as metabolite, *Borek and Waelsch,* 135
Hydroxyproline: Oxidation, cyclophorase system, rôle, *Taggart and Krakaur,* 641
Hypercholesteremia: Cholesterol administration, effect, *Byers and Friedman,* 841

I

Intestine: Mucosa, hydrolytic system, *Nieft,* 151
Iodine: Radioactive, iodo-α-estradiol distribution and metabolism, use in study, *Albert, Heard, Leblond, and Saffran,* 247
Iodo-α-estradiol: Distribution and metabolism, radioactive iodine in study, *Albert, Heard, Leblond, and Saffran,* 247
Iron: Reduction, stomach, *Bergeim and Kirch,* 591

K

Ketoglutaric acid: α-, oxalacetic acid and, oxidation-reduction, anaerobic phosphorylation, *Hunter,* 361
Ketol(s): Ring C, 11-keto bile acid preparation, reactions, *Borgstrom and Gallagher,* 951
Ketosteroid(s): Determination, paper chromatography, *Zaffaroni, Burton, and Keutmann,* 109
Kidney: Oxalacetic oxidase, *Schneider and Potter,* 893

L

Lactic acid: Bacteria, cystine synthesis, use, *Hift and Wallace,* 927
—, growth, thymidine effect, *Kitay, McNutt, and Snell,* 993
Lactobacillus arabinosus: Nicotinic acid-restricted medium, sulfonamide effect, *Teeri and Josselyn,* 23
Lactobacillus bulgaricus: Growth factor, determination and properties, *Williams, Hoff-Jørgensen, and Snell,* 933
Lactobacillus casei: Growth factors, *Peeler, Daniel, Norris, and Heuser,* 905
Daniel, Peeler, Norris, and Scott, 917
— —, liver, *Daniel, Peeler, Norris, and Scott,* 917
Lipide stimulation, *Williams and Fieger,* 739
Strepogenin need, *Peeler, Daniel, Norris, and Heuser,* 905
Lactobacillus leichmannii: Vitamin B_{12} and related factors, effect, *Winsten and Eigen,* 989
Leucemia: Carbamates, effect, *Bryan, Skipper, and White,* 941
Leucine: Ammonia, liquid, solubility, *Zachary and Moore,* 715
Foods, determination, microbiological, *Horn, Jones, and Blum,* 697
Proteins, determination, microbiological, *Horn, Jones, and Blum,* 697

Leuconostoc citrovorum: Medium, *Steele, Sauberlich, Reynolds, and Baumann,* 533
Leuconostoc mesenteroides: Medium, *Steele, Sauberlich, Reynolds, and Baumann,* 533
Lipide(s): *Lactobacillus casei* effect, *Williams and Fieger,* 739
Phospho-. *See* Phospholipide
Liver: Acetate, isotopic, metabolism *in vitro, Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper,* 727
Diphosphopyridine nucleotide - cytochrome *c* reductase, *Hogeboom,* 847
Glycogen, glucose from, fixed radioactive carbon, distribution, *Shreeve, Feil, Lorber, and Wood,* 679
—, isotopic carbon dioxide, *in vitro,* incorporation, *Hastings, Solomon, Anfinsen, Gould, and Rosenberg,* 717
Growth factor, determination, *Register, Ruegamer, and Elvehjem,* 129
Lactobacillus casei growth factors, *Daniel, Peeler, Norris, and Scott,* 917
Oxalacetic oxidase, *Schneider and Potter,* 893
Pyruvate, isotopic, metabolism *in vitro, Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper,* 727
Lymphoid tissue: Electrophoresis and chemistry, *Abrams and Cohen,* 439
Lysine: Bacterial maintenance, *Toennies and Gallant,* 831

M

Manometry: Potassium hydroxide-potassium cyanide mixtures, use, *Laties,* 969
Methemoglobin: Reduction, *in vitro,* blood cell, red, *Spicer, Hanna, and Clark,* 217
Methionine: Deuterium and C^{14} in methyl group, transmethylation study, use, *Keller, Rachele, and du Vigneaud,* 733
Homologues, sulfoxides and sulfones as glutamic acid antimetabolites, *Borek and Waelsch,* 135
Methionine—*continued:*
Labeled, tissue radioactive sulfur distribution, effect, *Maass, Larson, and Gordon,* 209
Uptake, genetic differences, *Rutman, Dempster, and Tarver,* 491
Methyl alcohol: Tryptophan-, reaction, formaldehyde formation, *Kibrick,* 683
Methylcytosine: 5-, synthesis, *Hitchings, Elion, Falco, and Russell,* 357
Mold: *See also Neurospora*

N

Neurospora: Purine-deficient, growth, guanine, guanosine, guanilic acid, and xanthine, effect, *Fairley and Loring,* 451
Niacin: -Tryptophan transformation, casein-low diet, gelatin effect, *Rosen and Perlzweig,* 163
Nicotinamide: Blood acetone bodies, diabetes, effect, *Banerjee and Ghosh,* 789
— sugar, diabetes, effect, *Banerjee and Ghosh,* 789
Nicotinic acid: Excretion, *Sarett and Goldsmith,* 461
-Restricted medium, *Lactobacillus arabinosus,* sulfonamide effect, *Teeri and Josselyn,* 23
Nitroaniline: *m*-, thiamine destruction, Chastek paralysis enzyme, effect, *Sealock and Davis,* 987
Nitrogen: Amino. *See* Amino nitrogen
Blood plasma amino acids, free, deprivation effect, *Henderson, Schurr, and Elvehjem,* 815
Nucleic acid(s): Desoxypentose, spleen, *Chargaff, Vischer, Doniger, Green, and Misani,* 405
—, thymus, *Chargaff, Vischer, Doniger, Green, and Misani,* 405
—, tubercle bacillus, *Vischer, Zamenhof, and Chargaff,* 429
—, yeast, *Vischer, Zamenhof, and Chargaff,* 429
Determination, micro-, *Steele, Sfortunato, and Ottolenghi,* 231

Nucleic acid(s)—*continued:*
Phosphate, inorganic, radioactive, incorporation, *Friedkin and Lehninger*, 775
Nucleoprotein(s): Tubercle bacillus, avian, *Chargaff and Saidel*, 417
Nucleotide: Diphosphopyridine, -cytochrome *c* reductase, liver, *Hogeboom*, 847
—, -linked enzyme, aldehyde dehydrogenase relation, *Racker*, 883

O

Orotic acid: Pyrimidine precursor, *Bergström, Arvidson, Hammarsten, Eliasson, Reichard, and von Ubisch*, 495
Ovomucoid: Trypsin and, interaction, essential groups, *Fraenkel-Conrat, Bean, and Lineweaver*, 385
Oxalacetate: Metabolism, tumor homogenates, glycolyzing, *Potter and LePage*, 237
Oxalacetic acid: α-Ketoglutaric acid oxidation-reduction, anaerobic phosphorylation, *Hunter*, 361
Oxalacetic oxidase: Kidney, *Schneider and Potter*, 893
Liver, *Schneider and Potter*, 893
Oxidase: Oxalacetic, kidney, *Schneider and Potter*, 893
—, liver, *Schneider and Potter*, 893
Oxidation: Phosphorylation and, cyclophorase system, *Cross, Taggart, Covo, and Green*, 655

P

Pantothenic acid: Coenzyme A, liberation, *Novelli, Kaplan, and Lipmann*, 97
Paralysis: Enzyme, Chastek, thiamine destruction, aminobenzylthiazolium salts, action, *Sealock and Livermore*, 553
—, —, —, *m*-nitroaniline effect, *Sealock and Davis*, 987
Shellfish poison, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 1, 7
— —, bases, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 1

Paralysis—*continued:*
Shellfish poison, *Gongaulax cantenella* relation, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 7
Pentose: Desoxy-. *See* Desoxypentose
Peptidase: Chymotrypsin, *Kaufman, Neurath, and Schwert*, 793
Phosphatase: Phosphoprotein, tissue, *Feinstein and Volk*, 339
Phosphate: Inorganic, radioactive, nucleic acid, incorporation, *Friedkin and Lehninger*, 775
—, —, phospholipide, incorporation, *Friedkin and Lehninger*, 775
Urea hydrolysis by, urease effect, *Harmon and Niemann*, 601
Phosphatidyl ethanolamine: Brain cephalin, isolation, *Folch*, 497
Phosphatidyl serine: Brain cephalin, isolation, *Folch*, 497
Phospholipide(s): Phosphate, inorganic, radioactive, incorporation, *Friedkin and Lehninger*, 775
Phosphoprotein: Phosphatase, tissue, *Feinstein and Volk*, 339
Phosphorylation: Oxidation and, cyclophorase system, *Cross, Taggart, Covo, and Green*, 655
Pituitary: Growth hormone, crystalline, properties, *Smith, Brown, Fishman, and Wilhelmi*, 305
See also Adrenocorticotropic hormone
Plankton: Marine, shellfish poison, paralytic, source, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 7
Plant(s): Sugar extraction, solid-liquid extractor, *Stern and Kirk*, 43
Poison: Shellfish, paralytic, *Riegel, Stanger, Wickholm, Mold, and Sommer*, 1, 7
—, —, bases, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 1
—, —, *Gonyaulax catenella*, relation, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 7
Polysaccharide: Starch-glycogen, synthesis, sucrose use, bacterial enzyme system, cell-free, *Hehre*, 267
Potassium cyanide: -Potassium hydroxide mixtures, manometry, *Laties*, 969

Potassium hydroxide: -Potassium cyanide mixtures, manometry, *Laties*, 969
Proline: Hydroxy-, oxidation, cyclophorase system, rôle, *Taggart and Krakaur*, 641
Oxidation, cyclophorase system, rôle, *Taggart and Krakaur*, 641
Propylthiouracil: Thiocyanate metabolism, effect, *Wood and Williams*, 59
Protein(s): Blood serum, determination, biuret reaction, *Gornall, Bardawill, and David*, 751
— —, —, colorimetric, *Stiff*, 179
— —, electrophoresis, carcinogenesis, azo dye-produced, *Cook, Griffin, and Luck*, 373
-Bound copper, biuret reaction, *Mehl, Pacovska, and Winzler*, 13
-Formaldehyde reaction, *Fraenkel-Conrat and Mecham*, 477
— —, osmotic pressure relationship, *Fraenkel-Conrat and Mecham*, 477
Leucine determination, microbiological, *Horn, Jones, and Blum*, 697
Nucleo-, tubercle bacillus, avian, *Chargaff and Saidel*, 417
Phospho-, phosphatase, tissue, *Feinstein and Volk*, 339
Sclero-, amino acids, *Graham, Waitkoff, and Hier*, 529
Tissue, carcinogenesis and, *Cook, Griffin, and Luck*, 373
Urine amino acid excretion, effect, *Eckhardt and Davidson*, 687
Purine: -Deficient *Neurospora*, growth, guanine, guanosine, guanylic acid, and xanthine effect, *Fairley and Loring*, 451
Pyrimidine(s): Precursor, orotic acid as, *Bergström, Arvidson, Hammarsten, Eliasson, Reichard, and von Ubisch*, 495
Pyruvate: Isotopic, liver, metabolism *in vitro*, *Gould, Hastings, Anfinsen, Rosenberg, Solomon, and Topper*, 727

R

Reductase: Diphosphopyridine nucleotide-cytochrome *c*, liver, *Hogeboom*, 847
Ribonuclease: Desoxy-. *See* Desoxyribonuclease

S

Salicylic acid: 4-Amino-, blood and urine, determination, *Tennent and Leland*, 873
Scleroprotein(s): Amino acids, *Graham, Waitkoff, and Hier*, 529
Serine: Phosphatidyl, brain cephalin, isolation, *Folch*, 497
Shellfish: Poison, paralytic, *Riegel, Stanger, Wickholm, Mold, and Sommer*, 1, 7
—, —, bases, *Riegel, Stanger, Wickholm, Mold, and Sommer*, 1
—, —, *Gonyaulax catenella*, relation, *Riegel, Stanger, Wikholm, Mold, and Sommer*, 7
Soy bean: *See* Bean
Spleen: Desoxypentose nucleic acid, *Chargaff, Vischer, Doniger, Green, and Misani*, 405
Starch: Synthesis from glucose-1-phosphate, diphtheria bacilli, use, *Carlson and Hehre*, 281
Steroid(s): Determination, paper chromatography, *Zaffaroni, Burton, and Keutmann*, 109
Keto-, determination, paper chromatography, *Zaffaroni, Burton, and Keutmann*, 109
Stomach: Iron reduction, *Bergeim and Kirch*, 591
Strepogenin: *Lactobacillus casei*, need, *Peeler, Daniel, Norris, and Heuser*, 905
Streptomycin: Activity site, *Umbreit*, 703
Succinate: Isotopic, radioactive carbon dioxide excretion, effect, *Gould, Sinex, Rosenberg, Solomon, and Hastings*, 295
Succinic acid: Synthesis, radioactive carbon-labeled, use, *Topper*, 303
Sucrase: Amylo-, polysaccharide synthesis from sucrose, use, *Hehre*, 267
Sucrose: Determination, micro-, *Stern and Kirk*, 37

Sucrose—*continued:*
Polysaccharide synthesis, cell-free bacterial enzyme system, use, *Hehre*, 267
Sugar(s): Blood. *See* Blood sugar
Plants, extraction, solid-liquid extractor, *Stern and Kirk*, 43
Sulfhydryl group: Alloxan reaction with, *Patterson, Lazarow, and Levey*, 197
Dialuric acid reaction with, *Patterson, Lazarow, and Levey*, 197
Sulfonamide(s): *Lactobacillus arabinosus*, nicotinic acid-restricted medium, effect, *Teeri and Josselyn*, 23
Sulfur: Radioactive, tissue, labeled methionine effect, *Maass, Larson, and Gordon*, 209

T

Thiamine: Destruction, Chastek paralysis enzyme, aminobenzylthiazolium salts, action, *Sealock and Livermore*, 553
—, — — —, *m*-nitroaniline effect, *Sealock and Davis*, 987
Thiazolium salt(s): Aminobenzyl-, thiamine destruction, Chastek paralysis enzyme, action, *Sealock and Livermore*, 553
Thiocyanate: Metabolism, propylthiouracil effect, *Wood and Williams*, 59
Thymidine: Lactic acid bacteria, growth, effect, *Kitay, McNutt, and Snell*, 993
Thymus: Desoxypentose nucleic acid, *Chargaff, Vischer, Doniger, Green, and Misani*, 405
Electrophoresis and chemistry, *Abrams and Cohen*, 439
Tissue: Cytochemistry, *Hogeboom*, 847
Torula histolytica: Amylose, crystalline, *Hehre, Carlson, and Hamilton*, 289
Transmethylation: Methionine with deuterium and C^{14} in methyl group, use in study, *Keller, Rachele, and du Vigneaud*, 733
Trauma: Blood plasma amino nitrogen, effect, *Burt and Fallers*, 825
Trypsin: Activity, essential groups, *Fraenkel-Conrat, Bean, and Lineweaver*, 385
Trypsin—*continued:*
Chymo-, N-benzoyl-DL-, N-acetyl-L-, and N-acetyl-DL-tyrosylglycinamide hydrolysis, use, *MacAllister, Harmon, and Niemann*, 767
—, esterase activity, *Kaufman, Neurath, and Schwert*, 793
—, peptidase activity, *Kaufman, Neurath, and Schwert*, 793
Determination, egg white trypsin inhibitor, effect, *Lineweaver, Fraenkel-Conrat, and Bean*, 205
Egg white, *Lineweaver, Fraenkel-Conrat, and Bean*, 205
Ovomucoid and, interaction, essential groups, *Fraenkel-Conrat, Bean, and Lineweaver*, 385
Tryptophan: Color test, *Tauber*, 337
Excretion, *Sarett and Goldsmith*, 461
-Methyl alcohol reaction, formaldehyde formation, *Kibrick*, 683
-Niacin transformation, casein-low diet, gelatin effect, *Rosen and Perlzweig*, 163
Related compounds, color test, *Tauber*, 337
Tubercle bacillus: Avian, nucleoproteins, *Chargaff and Saidel*, 417
Desoxypentose nucleic acid, *Vischer, Zamenhof, and Chargaff*, 429
Tumor: Glycolyzing, oxalacetate metabolism, *Potter and LePage*, 237
Tyrosine: Ammonia, liquid, solubility, *Zachary and Moore*, 715
Tyrosylglycinamide: N-Benzoyl-DL-, N-acetyl-L-, and N-acetyl-DL-, hydrolysis, chymotrypsin use, *MacAllister, Harmon, and Niemann*, 767

U

Uracil: Propylthio-, thiocyanate metabolism, effect, *Wood and Williams*, 59
Urea: Hydrolysis, phosphate, urease effect, *Harmon and Niemann*, 601
Urease: Urea hydrolysis by phosphate, effect, *Harmon and Niemann*, 601
Urethane: Carbonyl-labeled, tissue distribution, *Bryan, Skipper, and White*, 941

Uric acid: Radioactive carbon-labeled, biosynthesis, *Karlsson and Barker*, 597

Urine: Amino acid excretion, protein effect, *Eckhardt and Davidson*, 687

4-Aminosalicylic acid, determination, *Tennent and Leland*, 873

Uronic acid: *Escherichia coli* utilization, adaptive enzyme formation, *Cohen*, 607

V

Vitamin(s): B_1. *See also* Thiamine

B_{12}, related factors and, *Lactobacillus leichmannii*, effect, *Winsten and Eigen*, 989

H. *See also* Biotin

W

Wool: Decomposition, ball mill and autoclave, effect, *Stahl, McQue, and Siu*, 69

X

Xanthine: *Neurospora*, purine-deficient, growth, effect, *Fairley and Loring*, 451

Y

Yeast: Desoxypentose nucleic acid, *Vischer, Zamenhof, and Chargaff*, 429

See also Torula